

PRCHIVES

25X1

SC-11607/E

## DISSEMINATION CONTROL ABBREVIATIONS

NOFORN-

Not Releasable to Foreign Nationals

NOCONTRACT-

Not Releasable to Contractors or

Contractor/Consultants

PROPIN-

Caution-Proprietary Information Involved

ORCON-

Dissemination and Extraction of Information

Controlled by Originator

REL . . .-

This Information has been Authorized for

Release to . . .

30000



| Copy   |             |
|--|-------------|
| NEW POL STORAGE TANKS  UNGGI PETROLEUM REFINERY, NORTH KOREA  1. (SWN) SIGNIFICANCE: THE ADDITION OF AT LEAST EIGHT NEW STORAGE TANKS WILL NEARLY DOUBLE THE CRUDE OIL STORAGE CAPACITY AT UNGGI PETROLEUM REFINERY.  2. (SWN) REMARKS: EXCAVATION FOR AT LEAST EIGHT LARGE POL STORAGE TANKS WAS IDENTIFIED ON PARTIAL COVERAGE  INITIAL EXCAVATION FOR AT LEAST FOUR OF THESE TANKS WAS OBSERVED  THE CONSTRUCTION ACTIVITY IMMEDIATELY ADJACENT TO THE NINE LARGEST VERTICAL TANKS AT SOUTHERN PORTION OF THE REFINERY. THE DIAMETERS OF THE CIRCULAR BASES FOR THE NEW TANKS APPEARED TO BE IDENTICAL THAT OF THE NINE LARGE TANKS. THESE TANKS,  HAVE AN ESTIMATED STORAGE CAPACITY FOR 145,000 BARRELS EACH. THIS WOULD INCREASE THE CRUDE OIL STORAGE CAPACITY AT THE REFINERY BY AT LEAST 1,160,000 BARRELS. EIGHT RECTANGULAR EARTHEN REVETMENTS, OF FOR EACH STORAGE TANK, ARE IN VARIOUS STAGES OF CONSTRUCTION (SECRET SPOKE ANALYST'S COMMENTS: THE EXPANSION OF THE STORAGE CAPACITY AT THE REFINERY BY AT LEAST 1,200,000 BARRELS. ANALYST'S COMMENTS: THE EXPANSION OF THE STORAGE CAPACITY AT THE REFINERY AT SUCH A RAPID PACE, PROBABLY BE ASSOCIATED WITH NORTH KOREA'S RECENT ACQUISITION OF THE 224,850-TON NORWEGIAN-REGISTRY TANKER, "POLI SCANDIA"  3. (S) COORDINATES 42-18-31N 130-20-50E  4. (SECRET SPOKE COLLATERAL REFERENCE: DIADIN 265-5B   |             |
| O1 OCTO  NEW POL STORAGE TANKS  UNGGI PETROLEUM REFINERY, NORTH KOREA  1. (SWN) SIGNIFICANCE: THE ADDITION OF AT LEAST EIGHT NEW STORAGE TANKS WILL NEARLY DOUBLE THE CRUDE OIL STORAGE CAPACITY AT UNGGI PETROLEUM REFINERY.  2. (SWN) REMARKS: EXCAVATION FOR AT LEAST EIGHT LARGE POL STORAGE TANKS WAS IDENTIFIED ON PARTIAL COVERAGE  INITIAL EXCAVATION FOR AT LEAST FOUR OF THESE TANKS WAS OBSERVED THE CONSTRUCTION ACTIVITY IMMEDIATELY ADJACENT TO THE NINE LARGEST VERTICAL TANKS AT SOUTHERN PORTION OF THE REFINERY. THE DIAMETERS OF THE CIRCULAR BASES FOR THE NEW TANKS APPEARED TO BE IDENTICAL TO THAT OF THE NINE LARGE TANKS. THESE TANKS,  HAVE AN ESTIMATED STORAGE CAPACITY FOR 145,000 BARRELS EACH. THIS WOULD INCREASE THE CRUDE OIL STORAGE CAPACITY AT THE REFINERY BY AT LEAST 1,160,000 BARRELS. EIGHT RECTANGULAR EARTHEN REVETMENTS, OF FOR EACH STORAGE TANK, ARE IN VARIOUS STAGES OF CONSTRUCTION  (SECRET SPOKE ANALYST'S COMMENTS: THE EXPANSION OF THE STORAGE CAPACITY AT THE REFINERY AT SUCH A RAPID PACE, PROBABLY BE ASSOCIATED WITH NORTH KOREA'S RECENT ACQUISITION OF THE 224,850-TON NORWEGIAN-REGISTRY TANKER, "POLI SCANDIA  3. (S)  COORDINATES 42-18-31N 130-20-50E  4. (SECRET SPOKE COLLATERAL REFERENCE: DIADIN 265-5B  | 2           |
| NEW POL STORAGE TANKS UNGGI PETROLEUM REFINERY, NORTH KOREA  1. (SWN) SIGNIFICANCE: THE ADDITION OF AT LEAST EIGHT NEW STORAGE TANKS WILL NEARLY DOUBLE THE CRUDE OIL STORAGE CAPACITY AT UNGGI PETROLEUM REFINERY.  2. (SWN) REMARKS: EXCAVATION FOR AT LEAST EIGHT LARGE POL STORAGE TANKS WAS IDENTIFIED ON PARTIAL COVERAGE INITIAL EXCAVATION FOR AT LEAST FOUR OF THESE TANKS WAS OBSERVED THE CONSTRUCTION ACTIVITY IMMEDIATELY ADJACENT TO THE NINE LARGEST VERTICAL TANKS AT SOUTHERN PORTION OF THE REFINERY. THE DIAMETERS OF THE CIRCULAR BASES FOR THE NEW TANKS APPEARED TO BE IDENTICAL THAT OF THE NINE LARGE TANKS. THESE TANKS, THE CRUDE OIL STORAGE CAPACITY AT THE REFINERY BY AT LEAST 1,160,000 BARRELS. EIGHT RECTANGULAR EARTHEN REVETMENTS, O FOR EACH STORAGE TANK, ARE IN VARIOUS STAGES OF CONSTRUCTION OF THE STORAGE CAPACITY AT THE REFINERY AT SUCH A RAPID PACE, PROBABLY BE ASSOCIATED WITH NORTH KOREA'S RECENT ACQUISITION OF THE 224,850-TON NORWEGIAN-REGISTRY TANKER, "POLI SCANDIA COORDINATES 42-18-31N 130-20-50E  4. (SECRET SPOKE COLLATERAL REFERENCE: DIADIN 265-5B | G (10/82)   |
| UNGGI PETROLEUM REFINERY, NORTH KOREA  1. (SWN) SIGNIFICANCE: THE ADDITION OF AT LEAST EIGHT NEW STORAGE TANKS WILL NEARLY DOUBLE THE CRUDE OIL STORAGE CAPACITY AT UNGGI PETROLEUM REFINERY.  2. (SWN) REMARKS: EXCAVATION FOR AT LEAST EIGHT LARGE POL STORAGE TANKS WAS IDENTIFIED ON PARTIAL COVERAGE INITIAL EXCAVATION FOR AT LEAST FOUR OF THESE TANKS WAS OBSERVED THE CONSTRUCTION ACTIVITY IMMEDIATELY ADJACENT TO THE NINE LARGEST VERTICAL TANKS AT SOUTHERN PORTION OF THE REFINERY. THE DIAMETERS OF THE CIRCULAR BASES FOR THE NEW TANKS APPEARED TO BE IDENTICAL THAT OF THE NINE LARGE TANKS. THESE TANKS,  ANALYSE TANKS, HAVE AN ESTIMATED STORAGE CAPACITY FOR 145,000 BARRELS EACH. THIS WOULD INCREASE THE CRUDE OIL STORAGE CAPACITY AT THE REFINERY BY AT LEAST 1,160,000 BARRELS. EIGHT RECTANGULAR EARTHEN REVETMENTS, O FOR EACH STORAGE TANK, ARE IN VARIOUS STAGES OF CONSTRUCTION (SECRET SPOKE ANALYST'S COMMENTS: THE EXPANSION OF THE STORAGE CAPACITY AT THE REFINERY AT SUCH A RAPID PACE, PROBABLY BE ASSOCIATED WITH NORTH KOREA'S RECENT ACQUISITION OF THE 224,850-TON NORWEGIAN-REGISTRY TANKER, "POLI SCANDIA"  3. (S) COORDINATES 42-18-31N 130-20-50E  4. (SECRET SPOKE COLLATERAL REFERENCE: DIADIN 265-5B)  | 3ER 1982    |
| STORAGE TANKS WILL NEARLY DOUBLE THE CRUDE OIL STORAGE CAPACITY AT UNGGI PETROLEUM REFINERY.  2. (SWN) REMARKS: EXCAVATION FOR AT LEAST EIGHT LARGE POL STORAGE TANKS WAS IDENTIFIED ON PARTIAL COVERAGE INITIAL EXCAVATION FOR AT LEAST FOUR OF THESE TANKS WAS OBSERVED THE CONSTRUCTION ACTIVITY IMMEDIATELY ADJACENT TO THE NINE LARGEST VERTICAL TANKS AT SOUTHERN PORTION OF THE REFINERY. THE DIAMETERS OF THE CIRCULAR BASES FOR THE NEW TANKS APPEARED TO BE IDENTICAL TO THAT OF THE NINE LARGE TANKS. HAVE AN ESTIMATED STORAGE CAPACITY FOR 145,000 BARRELS EACH. THIS WOULD INCREASE THE CRUDE OIL STORAGE CAPACITY AT THE REFINERY BY AT LEAST 1,160,000 BARRELS. EIGHT RECTANGULAR EARTHEN REVETMENTS, O FOR EACH STORAGE TANK, ARE IN VARIOUS STAGES OF CONSTRUCTIO  (SECRET SPOKE ANALYST'S COMMENTS: THE EXPANSION O THE STORAGE CAPACITY AT THE REFINERY AT SUCH A RAPID PACE, PROBABLY BE ASSOCIATED WITH NORTH KOREA'S RECENT ACQUISITIO OF THE 224,850-TON NORWEGIAN-REGISTRY TANKER, "POLI SCANDIA  3. (S)  COORDINATES 42-18-31N 130-20-50E  4. (SECRET SPOKE COLLATERAL REFERENCE: DIADIN 265-5B  | 25 <b>X</b> |
| STORAGE TANKS WAS IDENTIFIED ON PARTIAL COVERAGE  INITIAL EXCAVATION FOR AT LEAST FOUR OF THESE  TANKS WAS OBSERVED  THE CONSTRUCTION ACTIVITY IMMEDIATELY ADJACENT TO THE NINE LARGEST VERTICAL TANKS AT SOUTHERN PORTION OF THE REFINERY. THE DIAMETERS OF THE CIRCULAR BASES FOR THE NEW TANKS APPEARED TO BE IDENTICAL TO THAT OF THE NINE LARGE TANKS.  HAVE AN ESTIMATED STORAGE CAPACITY FOR 145,000 BARRELS EACH. THIS WOULD INCREASE THE CRUDE OIL STORAGE CAPACITY AT THE REFINERY BY AT LEAST 1,160,000 BARRELS. EIGHT RECTANGULAR EARTHEN REVETMENTS, OF FOR EACH STORAGE TANK, ARE IN VARIOUS STAGES OF CONSTRUCTION  (SECRET SPOKE  ANALYST'S COMMENTS: THE EXPANSION OF THE STORAGE CAPACITY AT THE REFINERY AT SUCH A RAPID PACE, PROBABLY BE ASSOCIATED WITH NORTH KOREA'S RECENT ACQUISITION OF THE 224,850-TON NORWEGIAN-REGISTRY TANKER, "POLI SCANDIA"  3. (S)  COORDINATES 42-18-31N 130-20-50E  4. (SECRET SPOKE  COLLATERAL REFERENCE: DIADIN 265-5B   |             |
| TANKS WAS OBSERVED THE CONSTRUCTION ACTIVITY IMMEDIATELY ADJACENT TO THE NINE LARGEST VERTICAL TANKS AT SOUTHERN PORTION OF THE REFINERY. THE DIAMETERS OF THE CIRCULAR BASES FOR THE NEW TANKS APPEARED TO BE IDENTICAL THAT OF THE NINE LARGE TANKS. THESE TANKS, HAVE AN ESTIMATED STORAGE CAPACITY FOR 145,000 BARRELS EACH. THIS WOULD INCREASE THE CRUDE OIL STORAGE CAPACITY AT THE REFINERY BY AT LEAST 1,160,000 BARRELS. EIGHT RECTANGULAR EARTHEN REVETMENTS, OF FOR EACH STORAGE TANK, ARE IN VARIOUS STAGES OF CONSTRUCTION (SECRET SPOKE ANALYST'S COMMENTS: THE EXPANSION OF THE STORAGE CAPACITY AT THE REFINERY AT SUCH A RAPID PACE, PROBABLY BE ASSOCIATED WITH NORTH KOREA'S RECENT ACQUISITION OF THE 224,850-TON NORWEGIAN-REGISTRY TANKER, "POLI SCANDIA"  3. (S) COORDINATES 42-18-31N 130-20-50E  4. (SECRET SPOKE COLLATERAL REFERENCE: DIADIN 265-5B)   | 25X         |
| THAT OF THE NINE LARGE TANKS. THESE TANKS,  HAVE AN ESTIMATED STORAGE CAPACITY FOR 145,000 BARRELS FACH. THIS WOULD INCREASE THE CRUDE OIL STORAGE CAPACITY AT THE REFINERY BY AT LEAST 1,160,000 BARRELS. EIGHT RECTANGULAR FARTHEN REVETMENTS, OF FOR EACH STORAGE TANK, ARE IN VARIOUS STAGES OF CONSTRUCTION  (SECRET SPOKE ANALYST'S COMMENTS: THE EXPANSION OF THE STORAGE CAPACITY AT THE REFINERY AT SUCH A RAPID PACE, PROBABLY BE ASSOCIATED WITH NORTH KOREA'S RECENT ACQUISITION OF THE 224,850-TON NORWEGIAN-REGISTRY TANKER, "POLI SCANDIA"  3. (S) COORDINATES 42-18-31N 130-20-50E  4. (SECRET SPOKE COLLATERAL REFERENCE: DIADIN 265-5B)  | HE          |
| THE STORAGE CAPACITY AT THE REFINERY AT SUCH A RAPID PACE, PROBABLY BE ASSOCIATED WITH NORTH KOREA'S RECENT ACQUISITION OF THE 224,850-TON NORWEGIAN-REGISTRY TANKER, "POLI SCANDIA"  3. (S) COORDINATES 42-18-31N 130-20-50E  4. (SECRET SPOKE COLLATERAL REFERENCE: DIADIN 265-5B)   | 25X<br>25X  |
| 4. (SECRET SPOKE COLLATERAL REFERENCE: DIADIN 265-5B   | CAN<br>I    |
| 4. (SECRET SPOKE COLLATERAL REFERENCE: DIADIN 265-5B   | 25X         |
|  | 25X         |
|  | 25X         |
|  |             |
|  |             |
|  |             |
|  |             |
|  |             |
|  | 25X         |
| These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for and must be considered valid only for the reporting period as indicated by the date of issue.   |             |
| WARNING NOTICE Intelligence Sources and Methods Involved  SECRET   | 25 <b>X</b> |
| JECHEI   | 25X         |